

# G250R Photoluminescent Perimeter Demarcation Strips

The **G250R** Photoluminescent Perimeter Demarcation Strips provide excellent visibility and enhance egress speed in all light conditions. The G250R is ideal for areas required by code to have luminous path markings. The 1" wide G250R is UL 1994 listed and meets the requirements of building codes, fire codes and life safety codes across North America and around the world.

## How to Install:


- Installs easily with 3M foam tape.
- Pieces cut easily using hand shears

## Installed Durability:

- The aggressive 3M foam tape provides a strong bond and the rigidity of the product spreads any applied load over a greater area of installation adhesion. The foam tape works well on both smooth and textures surfaces.

## General Information:

- Photoluminescent Rigid Vinyl with 3M foam tape.
- 1" x 47" length
- Weight: 0.141 lbs/piece



**UL 1994 AND  
ULC 572 Listed**

## The Ecoglo G250R meets the following Building, Accessible Design, Fire & Life Safety Codes:

- IBC/IFC 2009, 2012 (Section 1024-Luminous Egress Path Markings) and 2015-2021 (Section 1025)
- ULC 590 S
- ULC 572 S
- CSA B651
- ISO/FDIS 2145

**Benefits and Technical Details:** Ecoglo G250R meets or exceeds the performance criteria specified in the following tests or standards:

### Brightness

High visibility in dark or light conditions.

- ASTM E2073-02, Standard Test Method for Photopic Luminance of Photoluminescent (Phosphorescent) Markings.
- ISO 17398:2004 Clause 7.11, Safety Colours and Safety Signs- Classification, Performance and Durability of Safety Signs.
- UL 1994 Listed – IMZI.SA3353
- UKLC 572 Listed – IMZI7.SA3353

### Washability

Easy Cleaning.

- ASTM D4828-94(2003), Standard Test Methods for Practical Washability of Organic Coatings.

### Radioactivity

No radioactivity or toxicity.

- Toxicity: Bombardier SMP 800-C (2000), Toxic Gas Generation Test.

### Flammability

Does not burn.

- ASTM E162-02, Standard Test Method for Surface Flammability of Materials Using a Radiant Heat Energy Source.

Contact Ecoglo Inc. for a quick quote or to obtain more information about our emergency lighting products.